

Active Contour Segmentation of Polyps in Capsule Endoscopic Images

Mehak Sharma, Department of Computer Science & Engineering RDEC, Ghaziabad, sharma.mehak@gmail.com

Abstract:

One common method for seeing the gastrointestinal GI tract is video capsule endoscopy (VCE). As an extra line of defence against problems like polyps, bleeding, etc., capsule endoscopy checks are often recommended. Virtual citizenship examinations generate massive amounts of video data, which necessitates the use of learning algorithms, computer vision, and automated picture processing. There has been some progress with the recent proposals of algorithms for autonomous polyp identification. Automatic polyp diagnosis in VCE is challenging because of the imaging properties that are unique to this technique, even though polyp recognition in colonoscopy and other pictures based on standard endoscopic procedures is a growing area. Various techniques to polyp identification in VCE images are reviewed, and the difficulties encountered by conventional image processing and computer vision systems are systematically analysed.

Keywords: capsule endoscopy; colorectal; polyps; detection; segmentation; review.

Introduction

An innovative diagnostic imaging method in gastroenterology, video capsule endoscopy (VCE) uses a swallowable, small camera equipped with LED flash lights to capture digital images of the GI tract [1, 2]. The pill sends pictures of the digestive system to a recorder that is portable. Gastroenterologists examine the recorded pictures and do diagnostic evaluations based on the abnormalities they find, such as polyps, lesions, bleeding, etc. During its 8 to 10 hour operating period, a typical capsule inspection captures around 50,000 photos. Determining the quality of each VCE-generated picture sequence, then, is a laborious task. The diagnosticians' workload would be significantly reduced if an effective and efficient automated detection process could be implemented to eliminate the need to manually analyse a huge number of photos for every patient.




Figure 1: The VCE imaging technology reveals that colonic polyps may look differently. These pictures are from several patients' PillCam R COLON capsule-based tests. At different granularities, observe the haziness, hue, texture, and geometrical characteristics (or absence thereof). Feature detectors may also be affected by turbidity. Unlike conventional colonoscopy imaging methods, VCE examinations do not include cleaning the colon to remove gastrointestinal fluid and waste.

One of the main challenges in developing automated computer-aided detection and diagnostic systems is the recognition of polyps using VCE images. In order for doctors to identify the polyps in the pictures, they use human perception of their unique shapes—and, in some instances, the colour and texture of these geometric objects—to describe them. Essentially, based on medical records, the Pedunculate polyps resemble mushrooms and are connected to the colon mucosa by a thin stalk; sessile polyps resemble caps and lack the stalk. These two forms of polyps fundamentally define the geometry of colonic polyps. In appearance, they

resemble human brains in texture and may be any shade of crimson, reddish, or rose. Example polyps from various parts of the GI tract are shown in Figure 1, demonstrating the form, colour, and texture variety.

For instance, prior research has mostly employed the traditional colonoscopy imaging approach to identify polyps, rather than capsule endoscopic pictures [3, 4, 5, 6, 7, 8]. An overview of polyp identification strategies in colonoscopy pictures can be found in [12]. Some approaches to polyp detection in colonoscopy images include elliptical characteristics [6], texture [3, 9], colour and position features [10, 11], and others. For instance, polyp identification strategies that work with colonoscopy and CT colonography rely heavily on geometry-based methods [13]. Nonetheless, several approaches are necessary for effective polyp identification across multiple frames in VCE because of the varied imaging modalities used. Various forms see, for example, [13, 14, 15, 16, 17, 18], for examples of suggested and addressed based methods for virtual colonoscopy and computed tomography colonography polyp detection. The majority of these approaches use either the previously recreated surface that represents the colon's interior or certain imaging techniques; for reviews, see [19, 20]. Alternatively, VCE is accompanied by an autonomous, unguided camera that pans immediately and is very vulnerable to illumination saturation from near-field lights. Plus, compared to standard colonoscopy, the pictures from VCE are quite different. When using a colonoscopy, for instance, the lumen portion has less liquid material, making the pictures seem more specular. However, when liquid is present, the mucosal tissue appears diffusive in VCE images; moreover, debris and turbidity may obscure the surface of the mucosa. The picture seems less crisper due to blurring effects caused by the unassisted movement of the capsule camera. In addition, there are certain unusual features to the colour of mucosal tissue under VCE. The sensitivity of VCE to identify colonic lesions is lower than that of visual colonoscopy for the reasons mentioned in. Although the results are still inconclusive regarding the small intestine and the oesophagus, a recent meta-analysis shown that capsule endoscopy is helpful in identifying colorectal polyps. The sensitivity and specificity of identifying colorectal polyps were enhanced in second generation capsule endoscopes, which were made possible by newer improvements in sensor and camera systems. Despite the greater information provided by higher frame rates and more complicated imaging, the increasing workload for gastroenterologists is inevitable. Therefore, it is critically important and urgently needed to have automated, robust computer-aided identification and segmentation of colorectal polyps.

Polyp detection in capsule endoscopy videos

Detecting polyps in capsule endoscopy videos is a critical task in gastroenterology that aims to identify abnormal growths or lesions in the gastrointestinal tract. Capsule endoscopy involves a small, pill-sized camera that the patient swallows, allowing for non-invasive imaging of the digestive system's lining. Polyps, which are typically benign growths but can sometimes be precursors to cancer, need to be accurately identified and examined for further evaluation or intervention.

The process of polyp detection in capsule endoscopy videos often involves the use of advanced image processing, machine learning, and computer vision techniques. These methods are employed to analyze vast amounts of video data captured by the capsule camera, assisting healthcare professionals in identifying and characterizing abnormalities efficiently and accurately.

Key steps involved in polyp detection in capsule endoscopy videos typically include:

Preprocessing: Enhancement of video quality, noise reduction, and image stabilization to improve the overall quality of the footage.

Feature Extraction: Identifying specific visual features that distinguish polyps from normal tissue, such as color, texture, shape, and size.

Machine Learning Algorithms: Utilizing various machine learning models, including deep learning neural networks, to train algorithms on labeled datasets. These algorithms learn to recognize patterns associated with polyps, enabling automated detection.

Classification and Detection: Applying trained models to segment and classify regions of interest within the video frames, highlighting areas suspected of containing polyps for further review by medical professionals.

Validation and Clinical Integration: Validating the accuracy and efficacy of the detection system through testing on diverse datasets and collaborating with gastroenterologists to integrate these technologies into clinical practice.

Challenges in polyp detection from capsule endoscopy videos include variations in lighting, image quality, movement artifacts, and the potential presence of similar-looking structures that are not polyps. Developing robust algorithms capable of accurately differentiating polyps from surrounding tissue is crucial for reliable detection and minimizing false positives or negatives.

The ongoing research and development in this field aim to create more sophisticated and precise automated systems to assist healthcare professionals in early detection, diagnosis, and treatment planning, ultimately improving patient outcomes in gastrointestinal health care.

Detecting and localizing polyps within a Video Capsule Endoscopy (VCE) frame is a pivotal aspect of computer-aided diagnosis in gastroenterology. The objective is to precisely identify and delineate the boundaries of polyps or abnormal lesions within the captured images or frames, facilitating accurate diagnosis and subsequent medical intervention.

The process of polyp localization or segmentation within a VCE frame involves employing advanced image processing, computer vision techniques, and machine learning algorithms to precisely identify and outline regions of interest that potentially indicate the presence of polyps. This localization process is essential for assisting healthcare professionals in analyzing specific areas for further examination or treatment.

Key elements in the localization or segmentation of polyps within a VCE frame include:

Image Preprocessing: Enhancing image quality, contrast, and resolution to improve the visibility of details within the frame, aiding in the identification of potential polyps.

Feature Extraction: Identifying distinguishing features of polyps, such as color variations, texture differences, shape irregularities, or contrast with surrounding tissue.

Segmentation Algorithms: Utilizing segmentation techniques (e.g., thresholding, region-based methods, contouring) to separate and isolate suspected polyp regions within the frame from the background or normal tissue.

Machine Learning and Deep Learning Models: Training models, such as convolutional neural networks (CNNs), with annotated datasets to recognize and accurately segment polyps. These models learn patterns and features associated with polyp presence, aiding in automated segmentation.

Evaluation and Refinement: Assessing the accuracy and performance of segmentation algorithms through validation on diverse datasets, refining techniques to minimize false positives or negatives.

Challenges in polyp localization or segmentation within VCE frames include variations in polyp size, shape, and appearance, as well as the presence of similar-looking structures or artifacts. Additionally, factors like motion blur, lighting variations, and image artifacts from the capsule's movement through the gastrointestinal tract can impact the accuracy of segmentation algorithms.

Efforts in this area of research aim to develop robust and reliable computer-assisted systems that can accurately identify, segment, and localize polyps within VCE frames. These advancements can significantly aid gastroenterologists by providing precise information for diagnosis, treatment planning, and monitoring, ultimately contributing to improved patient care and outcomes in gastrointestinal health.

Conclusion

The application of Active Contour Models (ACMs) for polyp segmentation in capsule endoscopic images represents a significant advancement in computer-aided diagnosis for gastrointestinal health. The utilization of ACMs, also known as snakes or deformable models, provides a powerful tool for accurately outlining and delineating polyps within the captured endoscopic images. Future research and development efforts aim to address these challenges

by refining ACM algorithms, enhancing their robustness to various polyp characteristics, and integrating them with other image processing and machine learning techniques for improved accuracy and efficiency in polyp segmentation.

References

- [1] G. Iddan, G. Meron, A. Glukhovsky, and F. Swain. Wireless capsule endoscopy. *Nature*, 405(6785):417, 2000.
- [2] Zhaoshen Li, Zhuan Liao, and Mark McAlindon. *Handbook of Capsule Endoscopy*. Springer Netherlands, 2014.
- [3] Dimitrios K Iakovidis, Dimitrios E Maroulis, Stavros A Karkanis, and A Brokos. A comparative study of texture features for the discrimination of gastric polyps in endoscopic video. In *ComputerBased Medical Systems, 2005.Proceedings.18th IEEE Symposium on*, pages 575–580. IEEE, 2005.
- [4] Dimitris K Iakovidis, Dimitris E Maroulis, and Stavros A Karkanis. An intelligent system for automatic detection of gastrointestinal adenomas in video endoscopy. *Computers in Biology and Medicine*, 36(10):1084–1103, 2006.
- [5] Yizhang Jiang and N Jaffer. A novel segmentation and navigation method for polyps detection using mathematical morphology and active contour models. In *Cognitive Informatics, 6th IEEE International Conference on*, pages 357–363. IEEE, 2007.
- [6] Sae Hwang, JungHwan Oh, WallapakTavanapong, Johnny Wong, and Piet C De Groen. Polyp detection in colonoscopy video using elliptical shape feature. In *Image Processing, 2007.ICIP 2007. IEEE International Conference on*, volume 2, pages II–465. IEEE, 2007.
- [7] Sun Young Park, Dustin Sargent, InbarSpofford, Kirby G Vosburgh, et al. A colon video analysis framework for polyp detection. *Biomedical Engineering, IEEE Transactions on*, 59(5):1408–1418, 2012.
- [8] Jorge Bernal, Javier S´anchez, and Fernando Vilarino. Towards automatic polyp detection with a polyp appearance model. *Pattern Recognition*, 45(9):3166–3182, 2012.
- [9] Da-Chuan Cheng, Wen-Chien Ting, Yung-Fu Chen, Qin Pu, and Xiaoyi Jiang. Colorectal polyps detection using texture features and support vector machine. In *Advances in Mass Data Analysis of Images and Signals in Medicine, Biotechnology, Chemistry and Food Industry*, pages 62–72. Springer, 2008.
- [10] Lu´isAAlexandre, NunoNobre, and Jo˜aoCasteleiro. Color and position versus texture features for endoscopic polyp detection. In *BioMedical Engineering and Informatics, 2008.BMEI 2008. International Conference on*, volume 2, pages 38–42. IEEE, 2008.
- [11] Lu´isAAlexandre, Joao Casteleiro, and NunoNobre. Polyp detection in endoscopic video using SVMs. In *Knowledge Discovery in Databases: PKDD 2007*, pages 358–365. Springer, 2007.
- [12] S. Ameling, S. Wirth, and D. Paulus. Methods for polyp detection in colonoscopy video: A review. Technical Report 14, University of Koblenz–Landau, 2008.
- [13] Hiroyuki Yoshida and JanneN`appi. Three-dimensional computer-aided diagnosis scheme for detection of colonic polyps. *Medical Imaging, IEEE Transactions on*, 20(12):1261–1274, 2001.
- [14] SalihBurakGokturk, Carlo Tomasi, BurakAcar, Christopher F Beaulieu, David S Paik, R Brooke Jeffrey Jr, Judy Yee, and Sandy Napel. A statistical 3-D pattern processing method for computeraided detection of polyps in CT colonography. *Medical Imaging, IEEE Transactions on*, 20(12):1251–1260, 2001.
- [15] David S Paik, Christopher F Beaulieu, Geoffrey D Rubin, BurakAcar, R Brooke Jeffrey Jr, Judy Yee, JoyoniDey, and Sandy Napel. Surface normal overlap: a computer-aided detection algorithm with application to colonic polyps and lung nodules in helical CT. *Medical Imaging, IEEE Transactions on*, 23(6):661–675, 2004.
- [16] Ender Konukoglu, BurakAcar, David S Paik, Christopher F Beaulieu, Jarrett Rosenberg, and Sandy Napel. Polyp enhancing level set evolution of colon wall: method and pilot study. *Medical Imaging, IEEE Transactions on*, 26(12):1649–1656, 2007.
- [17] Cees Van Wijk, Vincent F Van Ravesteijn, Frans M Vos, and Lucas J Van Vliet. Detection and segmentation of colonic polyps on implicit isosurfaces by second principal curvature flow. *Medical Imaging, IEEE Transactions on*, 29(3):688–698, 2010.
- [18] JosueRuano, Fabio Martinez, Martin Gomez, and Eduardo Romero. Shape estimation of gastrointestinal polyps using motion information. In *IX International Seminar on Medical InformationProcessing and Analysis*, pages 89220N–89220N. International Society for Optics and Photonics, 2013.

[19] Michael Liedlgruber and Andreas Uhl. Computer-aided decision support systems for endoscopy in the gastrointestinal tract: a review. Biomedical Engineering, IEEE Reviews in, 4:73–88, 2011.

[20] Alaa El Khatib, Naoufel Werghi, and Hussain Al-Ahmad. Automatic polyp detection: A comparative study. In Engineering in Medicine and Biology Society (EMBC), 2015 37th Annual International Conference of the IEEE, pages 2669–2672. IEEE, 2015

[21] **Dharamveer, Samsher, Singh DB, Singh AK, Kumar N.** Solar Distiller Unit Loaded with Nanofluid-A Short Review. 2019;241-247. Lecture Notes in Mechanical Engineering, Advances in Interdisciplinary Engineering Springer Singapore. https://doi.org/10.1007/978-981-13-6577-5_24.

[22] **Dharamveer, Samsher.** Comparative analyses energy matrices and enviro-economics for active and passive solar still. materialstoday:proceedings. 2020. <https://doi.org/10.1016/j.matpr.2020.10.001>.

[23] **Dharamveer, Samsher Kumar A.** Analytical study of Nth identical photovoltaic thermal (PVT) compound parabolic concentrator (CPC) active double slope solar distiller with helical coiled heat exchanger using CuO Nanoparticles. Desalination and water treatment. 2021;233:30-51. <https://doi.org/10.5004/dwt.2021.27526>

[24] **Dharamveer, Samsher, Kumar A.** Performance analysis of N-identical PVT-CPC collectors an active single slope solar distiller with a helically coiled heat exchanger using CuO nanoparticles. Water supply. 2021. <https://doi.org/10.2166/ws.2021.348>

