

Image Quality Improvement in Kidney Stone Detection on Computed Tomography Images

Shivam Sharma, Department of Computer Science & Engineering, RDEC, Ghaziabad. shivam.sharma@gmail.com

Abstract

The increasing demand for healthcare in recent years has led to a surge in the use of computer-assisted medical diagnostics. The noninvasive, dependable, and inexpensive Computed Tomography (CT) image-based diagnosis has become ubiquitous as a result of developments in imaging technology. Feature extraction, analysis, and pattern recognition algorithms are used to find the issue in images of the abnormality, which might be a tumour, cyst, stone, etc. A promising imaging tool that might improve kidney stone screening and prognosis is kidney-urinary-belly computed tomography, or KUB CT. This research aims to examine the effectiveness of using contrast-limited adaptive histogram equalisation (CLAHE) for computer-assisted medical diagnosis using KUB CT kidney images. The effectiveness of computer-aided medical diagnosis—an fusion of CS, IM, PR, and AI approaches—depends on a number of factors, including feature selection, computational efficiency, reference database size, and segmentation. When it comes to medical imaging, a technology known as computer-aided diagnostic (CAD) is invaluable. Radiologists have a lot of data to rapidly and accurately analyse from diagnostic imaging techniques including ultrasounds, CT scans, MRI scans, and mammograms. Recent advances in IT and medical imaging have increased the need for methods that can objectively produce speckle noise using Non-Sub sampled CT and then use this noise for diagnosis.

Keywords:renal calculi, kidney stones, computed tomography, image processing

I.Introduction

Kidney stones are becoming more common all over the world. In form, kidneys resemble beans. Underneath the belly button and rib cage, as well as on each side of the spine, you could find them. About the size of a standard human hand is the kidney. Kidney function mostly involves blood filtration. By removing waste, they maintain the proper acidity or alkalinity of physiological fluids. They keep their electrolyte levels in check as well. The kidneys start filtering waste and controlling mineral, salt, and water levels in the body as soon as blood reaches them. After purification, the kidneys return the blood to the body, while the ureters carry the waste products out of the body via the pelvis. These microscopic filters account for almost 10% of the overall volume of each kidney stone. The cells that filter blood are called nephrons. When blood flow to the kidneys is abruptly interrupted, renal failure may develop. Proper drainage of urine is impaired due to congenital kidney abnormalities such as kidney stones. Researchers looked at kidney stones of various types, including calculi, struvite, and stage horn.

Scientists have accomplished remarkable strides in the identification of nephrolithiasis by creating a plethora of algorithms that can precisely localise the kidney stone. Results from using a neural network to the classification of urinary calculi are encouraging. There has been a global uptick in cases of kidney stone-causing concretion illness, yet the majority of affected individuals are blissfully ignorant of their condition since it takes so long for the damage it does to become apparent. The kidneys, which normally sit on each side of the spine, might take on a bean-like appearance. Maintaining normal electrolyte levels in the blood is the kidney's principal function. When abnormalities in the kidney's drainage system, such as cysts, prevent urine from draining adequately, kidney stones may develop. Researchers looked at kidney stones made of different materials, such as struvite, stag horn, and renal calculi. The minerals in urine may cause a kidney ailment called concretion, which is characterised by the formation of a solid crystal. Doctors may identify calculus in the urine by studying CT images, and then they can remove the stone surgically, ensuring that it is broken into small enough pieces to pass through the urinary system undamaged. When kidney stones are three millimetres or larger in diameter, they might cause a ureteral obstruction. Starting in the lower back, the pain travels down the leg and into the groin.

Chemical composition or urinary tract location (nephrolithiasis, ureterolithiasis, cystolithiasis) are two ways to classify urinary stones.

Additional possible sites for the stone to be located include the ureter and the minor and major calyces of the kidneys. The most accurate diagnoses may be made using computed axial tomography since it has the least amount of background noise compared to other medical imaging modalities. An important health concern is chronic renal illness. For that reason, spotting calculus early on is crucial. The success of any required surgical operations depends on a clear diagnosis of urinary calculus.

Therefore, image filtering should be one of the first and most important steps in automated detection in order to provide a reliable stone detection system. To further eliminate human error caused by judges' varying levels of experience, the stone will be automatically identified using segmentation and morphological analysis. Finding the kidney stone in magnetic resonance imaging (MRI) scans has been the subject of many methods proposed by specialists in the field of nephrolith identification. The need of robust and precise segmentation has been emphasised by several scholars. Strong and effective segmentation was supposedly the key to accurate stone identification, according to one school of thinking.

The region of interest may be retrieved from the CT scan once it has been improved and cleaned up. Stones made of inorganic substances, such as calcium and acid, may develop in the kidneys and are known as renal stones. In the beginning, most individuals with kidney stones don't notice any pain, but as the problem progresses, it becomes more uncomfortable. The exact and correct localization of concretion is crucial for the effectiveness of surgical procedures. Nephroliths may be difficult, if not impossible, for humans to detect on CT images.

Consequently, we chose automated renal stone detection in CT scans that relies on artificial intelligence and digital image processing (ANN). Medically speaking, kidney calculus, or kidney stone development, is the process by which crystals form in the urine as a result of substance concentration or other variables. Kidney stones may develop at any age, and most people don't know they have them until they have severe abdominal pain or notice a change in the colour of their urine. In addition, nausea, pain, and fever are common nonspecific symptoms reported by individuals with kidney stones.

It is critical to detect kidney stones early so that the patient may get the right medical treatment. Recurring kidney stones diminish renal function and lead to kidney shrinkage. A person's risk of developing chronic renal disease or chronic renal failure goes up as a result. However, since it does not usually cause any symptoms, it is typically found in people who are being checked for other health issues, such as diabetes, cardiovascular disease (CVD), and urogenital tract disorders [1]-[3].

Intravenous pyelogram (IVP) X-rays, computed tomography (CT), and ultrasound are the gold standards for detecting and diagnosing kidney stones. Computerised tomography (CT) scans provide three-dimensional pictures of the affected organ or region, making them the gold standard for kidney stone screening in hospitals.

Because kidney stones (and associated pathology) may be discovered in both asymptomatic and symptomatic persons quickly and readily with improvements in CT technology, these advancements are significant for both patients and clinicians [4, 5]. Computer scientists are well-aware of the need to advance CT screening technology, specifically by enhancing diagnosis in the kidney-urinary-belly (KUB) area for kidney stone detection. This field has already found and will continue to find applications in the advancement of medical technology. This study team developed an automated kidney screening tool by applying digital image processing and image analysis methodologies to KUB CT images. The following are the particular contributions of the study: first, a technique for drawing ROIs in digital KUB CT scans; second, a technique for separating ROIs and ROI objects in digital KUB CT scans; and third, a technique for finding ROI objects (such as kidney stones) in digital KUB CT scan pictures, together with details on their size and placement.

Objectives

The major objective of this study is to develop more sensitive and accurate imaging methods for the detection of kidney stones. This study presents the results of existing research using supervised, unsupervised, and semi-supervised learning methods to detect kidney stones in ultrasound images using median filters. The goal is to improve detection rates in terms of accuracy and sensitivity. Make data analysis more efficient by automating the process of developing models. The main objective is to classify data into meaningful categories using current models; the secondary objective is to utilise those same models to predict what's going to happen next. Classification, regression, structured prediction, clustering, and representation learning are just a few examples of the pre-existing learning algorithms that will be studied and used in this study. The research aims to make conclusions on the effectiveness of these algorithms. By analysing CT scan data, this research aims to identify cases of urethral stones and, if present, their potential locations inside the urethra.

Methodology:-

"Deep learning" is a branch of machine learning that uses what is essentially a three-layer neural network. These neural networks may "learn" from large datasets, but they can't compare to how the human brain functions. Even with just one hidden layer, a neural network can only provide approximate predictions; adding more layers may help optimise and fine-tune for accuracy.

"Computerised axial tomography scanner," or "CT," refers to a method of creating radioactive images electronically. In this procedure, a narrow beam of x-rays is directed at the patient and quickly moved around the imaging area, carrying signals that are processed by the computers in each machine to produce cross-divided facial features or "slices" of the body. More information is provided by these cross-sectional pictures, which are sometimes called tomographic figures, compared to traditional x-rays. In order to create a three-dimensional model of the patient's anatomy, each slice is digitally "shapely" assembled. This allows for accurate sectioning and labelling of normal and pathological components.

Unlike traditional radiography, which makes use of a strong and fast radioactive tube, computed tomography (CT) scanners employ a power-driven radioactive source that spins within the circular opening of a donut-shaped base. In a computed tomography (CT) scan, the patient lies on a bed that slowly rotates around the stage while a television set transmits small x-ray photons via a screen. Using a number of mathematical radiation detectors arranged in a way that is perpendicular to the source of radioactivity, CT scanners create a kind of remedial film. Once detectors have exited the body, they gather the x-rays and transmit them to a computer. A 3D identical replica of the patient, made by spreading picture slices independently or shapedly together for a single piece, may show the patient's frame, techniques, tissues, and any anomalies the doctor is concerned about seeing.

Contrast MRI of the kidneys with traditional KUB X-rays may provide more precise information for the diagnosis of kidney diseases and injuries. A computed tomography (CT) scan of the kidneys, either one or both, may reveal lesions or tumours, obstructive diseases such kidney stones, birth defects, polycystic uropathy, fluid accumulation around the kidneys (and therefore the location of abscesses), and other abnormalities.

Image Categories Their name reflects the fact that they are available in a variety of red, green, and blue hues. A digital picture is considered a "colour" image if its individual pixels are given a distinct hue. A numerical number is used to decide the colour that a pixel shows. There are three more numbers that qualify this number and tell us how the colour is made up of red, green, and blue. Any colour that the human eye can see may be represented using this technique. A number between 0 and 255 may be used to indicate the degree to which the hue, value, and intensity of a colour have been separated. White (R=255, G=255, B=255), black ((R, G, B)=(0,0,0)), and hot pink (R=0, G=0, B=1) are some examples of typical colour codes. (10, 0, 255). Picture in a muted tone In a grayscale digital image, the value of each pixel is merely one sample; the image only provides intensity information. This kind of picture, sometimes called a black and white picture, is made up completely of grayscale

values (ranging from 0 to 255), where white(255) is the most intense and black(0) is the least.

An example of a binary image would be a computer-generated picture where each pixel might have one of two possible values. Binary pictures may be made using any two colours, however black and white are the most popular. The hue used for the image's foreground components is called foreground colour, whereas the hue utilised for the image's background elements is called background colour. The terms bi-level and two-level images are alternative terms for binary visuals. Each pixel has exactly one bit, either zero or one, as this shows.

Typical words for this concept include "black and white," "monochrome," and "monochromatic," albeit they may also mean any image with one sample per pixel, such as grayscale. Image formats include.txt,.xlsx,.pdf,.csv,.png,.gif,.tiff,.jpg,.jpeg, and.jpeg.




Fig 1. Block Diagram of Kidney Stone Detection System

Image Processing

It could be a method to digitally alter an image to make it seem better or extract useful information from it. To eliminate noise that might skew the binary zones generated by basic thresholding, morphological image processing is used. The image is made smoother by the opening and closing operations. Morphological methods may also be used to process grayscale pictures. The structure of an image's attributes is addressed by a number of non-linear processes that comprise it. What matters most, not the order of the pixels, are the numerical values. This technique analyses nearby pixels in an image by comparing them to a small template known as a structuring element, which may be positioned anywhere in the image. A fundamental unit of matrices, containing just the integers 0 and 1.

Conclusion

By preprocessing the ultrasound image using the proposed method, kidney stones were found. The produced image was morphologically examined. Finding the exact location of the stone was made possible with the help of the final photograph. Next, an edge detection method was used to ascertain the structures and forms of the manufactured stones.

References

1. N. Thein, H. A. Nugroho, T. B. Adji and K. Hamamoto, "An image preprocessing method for kidney stone segmentation in CT scan images", IEEE:2018
2. Nuhad A. Malalla, Pengfei Sun, Ying Chen, Michael E. Lipkin, Glenn M. Preminger and Jun Qin, "C-arm technique with distance driven for nephrothlisis and kidney stones detection: Preliminary Study", EBMS International Conference on Biomedical and Health Informatics (BHI), IEEE 2016, pp. 164-167.
3. S. Hu et al., "Towards quantification of kidney stones using X-ray dark-field tomography," 2017 IEEE 14th International Symposium on Biomedical Imaging (ISBI 2017), Melbourne, VIC, 2017, pp. 1112-1115.
4. Bryan Cunitz, BarbrinaDunmire, Marla Paun, Oleg Sapozhnikov, John Kucewicz, Ryan His, Franklin Lee, Mathew Sorensen, Jonathan Harper and Michael Bailey, "Improved detection of kidney stones using an optimized Doppler imaging sequence", International Ultrasonics Symposium Proceedings, IEEE 2014, pp. 452-455.
5. Yung-Nien Sun, Jiann-Shu Lee, Jai-Chie Chang, and Wei-Jen Yao, "Three-dimensional

- reconstruction of kidney from ultrasonic images”, Proceedings of the IEEE Workshop on Biomedical Image Analysis, IEEE 1994, pp. 43-49.
6. Mahdi Marsousi, Konstantinos N. Plataniotis and Stergios Stergiopoulos, “Shape-based kidney detection and segmentation three-dimensional abdominal ultrasound images”, 36th Annual International Conference of Engineering in Medicine and Biology Society, IEEE 2014, pp. 2890-2894.
 7. Oleg A. Sapozhnikov, Michael R. Bailey, Lawrence A. Crum, Nathan A. Miller, Robin O. Cleveland, Yuri A. Pishchalnikov, Irina V. Pishalnikova, James A. McAteer, Bret A. Connors, Philip M. Blombgren and Andrew P. Evan, “Ultrasound-guided localized detection of cavitation during lithotripsy in pig kidney in vivo”, Ultrasonics Symposium, IEEE 2001, pp. 1347-1350.
 8. V. R. Singh and Suresh Singh, “Ultrasonic parameters of renal calculi”, Proceedings of the 20th Annual International Conference on Engineering in Medicine and Biology Society, IEEE 1998, pp. 862-865.
 9. K. Viswanath, R. Gunasundari, “Design and analysis performance of kidney stone detection from ultrasound image by level set segmentation and ANN classification”, International Conference on Advances in Computing, Communications and Informatics (ICACCI), IEEE 2014, pp.407-414
 10. K. Sharma et al., "Automatic Segmentation of Kidneys using Deep Learning for Total Kidney Volume Quantification in Autosomal Dominant Polycystic Kidney Disease", Sci Rep, vol. 7, no. 1, pp. 2049, May 2017.
 11. S. Tuncer and A. Alkan, "Spinal Cord Based Kidney Segmentation Using Connected Component Labeling and K-Means Clustering Algorithm", TS, vol. 36, no. 6, pp. 521-527, Dec. 2019
 12. M. A. S. Sajat, H. Hashim and N. M. Tahir, "Detection of Human Bodies in Lying Position based on Aggregate Channel Features", 2020 16th IEEE International Colloquium on Signal Processing & Its Applications (CSPA), pp. 313-317, Feb. 2020.
 13. Q. Sun, S. Yang, C. Sun and W. Yang, "Exploiting aggregate channel features for urine sediment detection", Multimed Tools Appl, vol. 78, no. 17, pp. 23883-23895, Sep. 2019.
 14. F. Hermawati, H. Tjandrasa and N. Suciati, "Combination of Aggregated Channel Features (ACF) Detector and Faster R-CNN to Improve Object Detection Performance in Fetal Ultrasound Images", IJIES, vol. 11, no. 6, pp. 65-74, Dec. 2018.
 15. A. Rahimzadeganasl and E. Sertel, "Automatic building detection based on CIE LUV color space using very high resolution pleiades images", 2017 25th Signal Processing and Communications Applications Conference (SIU), pp. 1-4, May 2017.
 16. S. Çınar, "Design of an automatic hybrid system for removal of eye-blink artifacts from EEG recordings", Biomedical Signal Processing and Control, vol. 67, pp. 102543, May 2021.
 17. Kadir Yildirim, Pinar Gundogan Bozdog, Muhammed Talo, Ozal Yildirim, Murat Karabatak and U Rajendra Acharya, "Deep learning model for automated kidney stone detection using coronal ct images", Computers in biology and medicine, vol. 135, pp. 104569, 2021.
 18. Yingpu Cui, Zhaonan Sun, Shuai Ma, Weipeng Liu, Xiangpeng Wang, Xiaodong Zhang, et al., "Automatic detection and scoring of kidney stones on noncontrast ct images using stone nephrolithometry: combined deep learning and thresholding methods", Molecular Imaging and Biology, vol. 23, no. 3, pp. 436-445, 2021.
 19. Johan Jendeberg, Per Thunberg and Mats Lidén, "Differentiation of distal ureteral stones and pelvic phleboliths using a convolutional neural network", Urolithiasis, vol. 49, no. 1, pp. 41-49, 2021.