



Applications of Differential Geometry and Curvature-Based Methods in Machine Learning and Computer Vision: A Cross-Domain Analysis

Dr. Manju Bala, Associate Professor, Department of Mathematics, S V College, Aligarh

Abstract

The current study analyses applications of differential geometry and curvature-based methods in machine learning and computer vision. This research aims to explain how geometric concepts such as Ricci curves, Foreman curves, and Olivier-Ritchie curves prove helpful in understanding and better modelling underlying structures in various data structures, such as graphs, images, biological networks, and hidden spaces. Inclusion of curvature optimizes message space, making node classification more accurate. Curvature-based methods in image processing enabled more accurate detection of size, texture, and boundaries considering pixel networks in biological data analysis. Understanding the geometry of the hidden space of generative models through curvature can help control their training and variation. Finally, curvature has also helped uncover the microstructures of community identification and causal analysis in network science. In conclusion, this study presents curvature as a general mathematical framework that can be effectively applied to a variety of data. This research not only enriches theoretical understanding but also provides new possibilities at the level of interpretation, performance and efficiency.

Keywords: Differential Geometry, Curvature-Based Methods, Machine Learning, Computer Vision, Graph and Network Analysis

Introduction

Over the past decade, the machine learning and computer vision community has begun to adopt data structures arranged nonlinearly in graphs, multiple meshes, and networks rather than Euclidean flats. Traditional algorithms are often based on the assumption of a flat (Euclidean) layout. Data from biological systems, relationships in social networks, or three-dimensional physical structures often contain geometric structures that are challenging to analyse with conventional linear techniques. These situations require new methods that can optimize the learning process.

Differential geometry is a branch of mathematics that uses differential calculus and algebra to study the properties of curves, surfaces, and multidimensional structures (manifolds). A central concept in this field is curvature, which measures how much a geometric surface or manifold deviates from a plane. For example, positive curvature of a surface compresses surrounding geometry (indicates adjacent geometry approaching), while negative curvature stretches it (geographies rotate apart), and zero curvature indicates perfect flatness and capture more efficiently.

In recent years, curvature-based methods have been successfully applied in various machine learning and network analysis tasks. In the field of graph and network analysis, researchers have used discrete variations of Ricci curves (such as Olivier Ricci curves) to improve the performance of graph-neural networks (GNNs) for identifying communities in networks. Remove edges stepwise (negative curvature), other modifications based on curvature of each node. Adding curvature regularizes to graph structures or weighting neighbours improves the quality of graph embedding and classification.

Curvature dominated approaches emerge in computer vision and image processing. Recent research has defined combinatorial Ricci curves for grayscale images and demonstrated their advantages in image segmentation and feature-based detail extraction and modelled various facial landmarks capable of recognizing patterns on spherical surfaces or other curves for enhanced visualization and inference properties. They deserve it.

Curvature based methods have implications in other areas as well. In the case of deep generative models, the structure of their hidden space has been studied using principles of Riemannian geometry; In one study, deep generative models found an average curvature of zero by computing geodesic roads and parallel transport in known multifactor, suggesting these



hidden locations may be near the plane Some exaggerated graph-neural network models adopt continuous discrete curvature learning strategies for tree-like data structures Hierarchical relationships between remote nodes have been improved. Multi-scale differential geometry approaches in bioinformatics have successfully modelled interactions between cells in single-cell RNA sequence data, and successfully classified curvature-based features of cell types in graph structures, cause-and-effect estimates found more uncertain, and estimation error using geometric Ricci flows reduced or reduced recognition of hidden patterns in complex biological and social systems

The aim of the present article is to present all the above-mentioned advancements in a consolidated manner. This literature review covers major research published between 2017 and 2024 in different areas of differential geometry curvature such as applications in graph neural networks, generative models, community search, image processing, biological network analysis, etc. Growing interest and discussion in physics-driven models and non-Euclidean data reflects, reference is given to these approaches for comprehensive understanding

The results of these various studies clearly indicate that differential geometry and curvature continue to grow in relevance in machine learning and computer vision, but so far efforts to comprehensively review these curvature-focused innovations are limited improve and make it more meaningful.

Background and definition

Basic concepts of differential geometry

Differential geometry is the branch of mathematics that studies the geometric properties of multidimensional structures such as curves, surfaces and manifolds. In simple terms, a manifold is a high-dimensional space that resembles a flat Euclidean space in every small region, but on a global scale its structure can be much more complex. In machine learning, data often lies on such non-Euclidean (non-planar) spaces for example, images of faces may lie on a high-dimensional facial manifold, or the graph of a social network acts like a discrete manifold. Differential geometry gives us the theoretical tools to understand the intrinsic properties of such spaces. It enables us to describe where a space is straight and where it is bent, i.e. helps us understand the underlying geometry of the data.

A geodesic is the shortest path between two points on a manifold. Just as a straight line is the shortest path on a plane, a great circle arc connecting two points on the surface of a sphere is a geodesic. A geodesic on a manifold is the path that covers the shortest distance while following the intrinsic geometry. Geodesics are important in machine learning because if the data is located in a curved space, the actual "distance" or similarity between those points should be measured by the geodesic distance, not the simple Euclidean distance. For example, in a non-linear data manifold (such as data propagation in a spiral shape) even if two points are separated by a straight-line distance, the geodesic path between them on the manifold may be shorter. Another aspect of the geodesic concept is parallel transport, which refers to how vector directions change when moving from one location on a manifold to another - a concept that was later used in machine learning to make message transmission on graph structures geometry-consistent.

Curvature is a fundamental geometric property of manifolds that describes how much a space is locally bent or curved. Simply put: curvature measures how much a space deviates from being "flat". Positive curvature means the space is curved like a sphere or convex, while negative curvature means the space is concave like a saddle. The curvature of a flat Euclidean plane is considered to be zero. Curvature can have a large effect on data or networks - random walks emanating from two points in a space with positive curvature tend to get closer to each other (concentrate), while in a space with negative curvature they tend to spread away from each other faster. This means that positive curvature indicates local connectivity (neighbouring points/nodes are close to each other) Curvature is measured in many ways in differential geometry - such as Gaussian curvature as the product of curvature in two principal directions at each point of a surface, or Ricci curvature as the group of curvatures in different directions



in Riemannian geometry. In simple terms, Ricci curvature measures the local volume growth and expansion of geodesics around a point. High positive Ricci curvature means that the surrounding region is relatively compressed (low volume) and geodesics bend towards each other, while negative Ricci curvature means that the region is relatively expanded and geodesic paths stretch in different directions. In data science terms, curvature indicates where our data space or graph structure is bent (complex) and where it is straight (simple)

Curvature Criteria: Ricci, Forman, Olivier-Ricci

Different units/criteria have been developed to measure curvature in different contexts. Ricci curvature, as defined in continuous geometry, is also defined in a consistent way for discrete structures such as graphs and networks. Below are definitions and interpretations of three key curvature parameters that are common in machine learning and network analysis:

Ricci Curvature: It is a parameter derived from classical Ricci geometry that describes how the volume changes as one moves along geodesic lines in a manifold. In simple terms, if geodesic lines are drawn in different directions from a point, in case of positive Ricci curvature these lines get closer to each other (i.e. the distance decreases, the area/volume around it becomes smaller than expected), while in case of negative Ricci curvature the geodesic lines move away from each other (i.e. the space between them expands more than expected). In the context of graphs or networks, Ricci curvature is defined in discrete terms - it measures how "strong" or "weak" an edge or relationship is in the structure of the network. An edge with high Ricci curvature is usually one that tightly binds the neighbourhoods of the connected nodes (their neighbours are largely similar), while an edge with negative Ricci curvature is like a bridge connecting different communities or remote areas (where the neighbourhoods of the connected nodes are very different). In short, Ricci curvature provides a way to measure the stability of local connectivity in a network.

Forman-Ricci curvature: This is a combinatorial discrete version of Ricci curvature, specifically designed for graph structures. It was proposed by mathematician Robin Forman, and is based on discrete relations equivalent to the relation between Ricci curvature and Laplacian operations in discrete geometry. In the context of graphs, Forman-Ricci curvature is defined for any two connected nodes (an edge) by taking the sum of the degrees of the nodes connected to that edge (how many other nodes are connected to it) and the number of small cycles (triangles, quadrilaterals, etc.) formed around that edge. To explain without going into formulas,

Forman curvature measures the curvature of an edge based on: Forman-curvature measures the curvature of an edge of a graph based on how many other vertices the two nodes connected by that edge are connected to (i.e. what is their degree), and how many shared structures (such as triangles or quadrilaterals) exist between them. If the degree of two nodes connected by an edge is high, the curvature of that edge is considered low because it has a higher 'weight'. On the other hand, if there are many shared triangles or other cyclic structures between those two nodes, it indicates more positive curvature, as it indicates that the neighbourhood is more densely connected. Thus, Forman-Ricci curvature measures the local structural connectivity of a graph by a very simple calculation. One of its major advantages is that it is much faster and cheaper to calculate than other parameters such as Olivier-Ricci, since it only requires the local degree and the number of neighbouring triangles. In large-scale network analysis, where computational complexity is a significant challenge, convolution curvature has emerged as a practical tool. However, it is notable that in some network structures such as grid or mesh-like structures, this curvature often gives negative values, which can be understood in terms of the relatively loose connectivity of that structure.

Olivier-Ricci curvature: This curvature measure is a new discrete form of Ricci curvature proposed by mathematician Yann Olivier in 2009, based on the optimal transportation theory. In continuous differential geometry, Olivier believed that if one looks at the neighbourhoods (spatial distributions) around two close points on a manifold, one can measure their geometric difference by the optimal transportation distance (also called the Wasserstein distance) between



those neighbourhoods. According to this theory, if the Ricci curvature of a manifold is positive, random walks starting from two very close points will converge over time (i.e. their neighbourhoods will overlap significantly), while in the case of negative Ricci curvature, random walks starting from those points will converge in the context of the graph, Olivier-Ricci curvature looks at the optimal transportation distance between the neighbours of two connected nodes (e.g. u and v). If the neighbouring groups of u and v are quite similar (overlap), the Wasserstein distance between them will be low and the resulting Olivier-Ricci curvature will have a high (positive) value - indicating that the nodes are in the same community structure or have a strong connection between them. On the other hand, if the neighbours of two nodes are very different (e.g. they are from different communities), the distribution distance between them will be large, resulting in a low or negative value of Olivier-Ricci curvature. In short, Olivier-Ricci curvature measures the neighbourhood similarity of two connected nodes in a graph. This criterion has become particularly popular in network science, as it captures the geometry of the graph from the perspective of overlapping neighbourhoods, providing a natural approach to the analysis of many social and biological network structures.

Relevance of these concepts in machine learning and computer vision

The above concepts of differential geometry and curvature parameters have become extremely relevant in modern machine learning and computer vision research. The main reason for this is that today many types of data are found in non-Euclidean structures - such as graphs, networks, tree-like data and shapes, etc. to which the methods of traditional plane geometry are not directly applicable. The principles of differential geometry open new doors to understanding and learning these complex structures.

Graph-based learning (graph neural networks and network analysis): Curvature has gained popularity as an important tool for analysing data in graph structures (e.g., social networks, knowledge graphs, bioethical networks). In models such as graph neural networks (GNNs), Ricci curvature is used to measure the strength of the relationships between edges or nodes. For example, some GNN architectures optimize message propagation based on the Ricci curvature value of each edge by giving edges with higher positive curvature a higher weight in message propagation, the model prioritizes information coming from neighbours that have stronger local structure, while minimizing the influence of edges with negative curvature (which potentially connect two different communities). Thus, curvature-based weighting allows graph neural networks to learn in a more local geometry-consistent manner, resulting in better performance in tasks such as node classification or link prediction.

Moreover, Olivier-Ricci curvature has proven to be a powerful indicator in shallow graph learning problems, such as community detection. Various researches have observed that edges in a graph that connect different communities often have very low or even negative curvature, while edges within a community (cluster) exhibit positive curvature because the neighbourhoods of nodes there are very similar. This difference can be used to remove edges from the graph that have negative Olivier-Ricci curvature, resulting in a naturally generated graph being broken down into separately connected components that correspond to real communities. Such curvature-based clustering has shown an edge over techniques such as traditional spectral clustering, especially in networks where there is a clear community structure. Similarly, recent studies have used lower Ricci curvature to rapidly measure the community importance of edges in large-scale networks.

Computer vision and shape analysis: In computer vision, concepts of curvature are often used to understand the geometry of images and 3D models. For example, a 3D surface or point cloud can be considered as a manifold, and by estimating the curvature at each of its points, we can learn about the shape structure of the surface - such as where the surface is convex, where it is concave. This concept has been used in 3D shape analysis and computer graphics for a long time. Recently, the concept of discrete curvature has also entered image processing: a Gray-scale image can be viewed as a graph where each pixel is a node and there are edges between neighbouring pixels. By defining parameters such as the combinatorial Ricci curvature



on such a graph, researchers have developed new ways to detect edges in an image, recognize patterns, or filter out noise. In such techniques, the distribution of curvature in different parts of the image is obtained, which provides additional geometric information beyond what is provided by conventional filters. For example, a method proposed in 2023 extracted Ricci-like curvatures at each pixel-edge of an image and used these curvatures in place of the traditional Laplace operator to smooth/enhance Gray-scale images demonstrating how the tools of classical differential geometry can be applied to digital images as well.

Other machine learning contexts: Geometric concepts are also part of an emerging trend in deep learning. For example, we view the latent space of generative models (such as variational autoencoders or generative adversarial networks) as a learned geometric surface or manifold. Some research has studied the curvature of these latent manifolds - and found that efficient generative models often learn a nearly flat (zero curvature) latent space, making interpolation or sampling easier. If excessive curvature is found somewhere in the learned latent space, it may point to a limitation of the model or a complex sub-structure of the data that the model could not capture properly. Thus, analysing curvature can help interpret and diagnose deep models. In addition, hyperbolic geometry (space with negative curvature) has also become popular in representation learning - especially for data that has a tree-like or hierarchical structure (e.g., family trees, folder structures, categories in knowledge graphs, etc.). Hyperbolic space has a high capacity for expansion - being low in curvature it is naturally suitable for embedding tree-like data. Many modern graph neural networks and embedding algorithms prefer learning in hyperbolic space as they are able to better understand the superstructures of the data. For example, a hyperbolic GNN learns constant Ricci curvature to determine message transmission distances/weights, allowing long-range dependencies to be learned efficiently.

In short, differential geometry and curvature parameters are playing a vital role in solving challenges in machine learning and computer vision where we need to understand the intrinsic geometry of data. These concepts have provided a way to measure local texture and global shape in graph structures, giving models deeper structural information. As a result, whether it is social network analysis via graph neural networks, community detection, link prediction in biomolecular structures, 3D shape recognition, or studying latent intervals of generative models everywhere curvature-based approaches are making modelling more natural, interpretable, and effective. This 'Background and Definition' section provides a theoretical foundation for further study, where we will see how researchers are applying these principles in practice.

Review of Related Literature

Use of curvature in graph neural networks (GNNs)

In the field of graph neural networks (GNNs), many studies have explored the integration of curvature information to leverage the geometric structure of graphs for improved learning performance. A notable work by Li et al. (2021) proposed the Curvilinear Graph Neural Network (CGNN), which uses discrete Ricci curvature to measure the structural connectivity strength between neighbouring nodes. In this approach, each neighbouring node is assigned a weight based on its Ricci curvature value, allowing GNNs to better adapt to local structural variations. This curvature-aware weighting mechanism was found to be able to significantly improve node classification performance (Li et al., 2021).

Based on this concept, Wu et al. (2021) presented the Ricci curvature-based graph convolutional network (RCGCN), in which the graph is considered as a discrete manifold. In RCGCN, the Ricci curvature is used to determine the relative importance of neighbouring nodes, generating a curvature-based neighbourhood score that more accurately reflects the relationship between the central node and its neighbours. This approach resulted in better performance in semi-supervised learning tasks compared to traditional GCN (Wu et al., 2021). Further progress was made with κ HGCN, a hyperbolic GNN model developed by Yang et al. (2023), which learns both continuous and discrete curvature to optimize information propagation in tree-like graph structures. This hybrid approach significantly improved message-passing capabilities in long-range hierarchical networks, promoting holistic graph



representation learning (Yang et al., 2023).

In practical situations, curvature-based GNNs have also been adopted in biomolecular structure analysis. For example, Wu et al. (2023) proposed a curvature-based adaptive GNN (CurvAGN) to model protein-ligand interactions. CurvAGN integrates a multi-scale curvature block and an adaptive attention mechanism to encode advanced geometric features such as distances, angles, and curvatures into node and edge features. This method showed significant improvements in predicting protein-ligand binding affinity (Wu et al., 2023).

Similarly, Shen et al. (2024) presented curvature-augmented GCN (CGCN), which directly incorporates Olivier-Ricci curvature as a weighting function during the message-transmission stage. The CGCN model achieved the highest prediction accuracy on 13 out of 14 real-world biomolecular datasets, highlighting the utility of incorporating structural curvature cues into graph-based learning (Shen et al., 2024).

Curvature has also been used as a regularization technique in graph representation learning. Pei et al. (2020) introduced a curvature-based regularizer into the graph embedding process to maintain a flat embedding space (i.e., close to zero curvature). Experimental results of five standard graph embedding methods on several benchmark datasets demonstrated that curvature regularization consistently improved node classification and link prediction performance (Pei et al., 2020).

Image Processing and Computer Vision

Curvature-based techniques have also found significant applications in the fields of image processing and computer vision. For example, Saukan et al. (2023) proposed a combinatorial Ricci curvature and an associated Laplacian operator, specifically designed for grayscale images. This novel framework enables the measurement of curvature and geometric structures directly on the digital pixel grid, providing a new approach to the analysis of image geometry (Saukan et al., 2023).

Similarly, Cascone et al. (2022) constructed a graph structure using key facial landmark points and calculated the Olivier-Ricci curvature in this graph. The resulting curvature-based features were then inserted into an XGBoost regression model to estimate head pose from a single face image. Their curvature-driven method demonstrated competitive, and in some cases better, performance than state-of-the-art techniques on standard datasets such as BIWI and AFLW2000, especially in the area of head pose estimation (Cascone et al., 2022).

Curvature-based methods in biological data

Curvature and differential geometry have also played an important role in the analysis of biological and medical datasets. In the context of shape analysis and biomedical imaging, Lui et al. (2018) proposed a novel approach called geodesic differential analysis for classification tasks on non-Euclidean structures. By generalizing traditional linear analysis to Riemannian manifolds and using geodesic subspaces, they effectively classified manifold-valued data such as 3D brain structures into different patient groups with improved accuracy (Lui et al., 2018). In molecular biology and bioinformatics, Nguyen and Wei (2019) introduced a framework called differential geometry-based geometric learning (DG-GL), which converts complex three-dimensional molecular structures into low-dimensional differential representations. These representations are used to extract multi-scale curvature-based features. When combined with machine learning models, these features provided high prediction accuracy for properties such as drug-binding affinity, molecular toxicity, and solvation energy in large molecular datasets outperforming traditional methods (Nguyen and Wei, 2019).

Extending this approach further, Feng et al. (2023) developed a multi-scale differential geometry (MDG) strategy for analysing single-cell RNA-sequence data. They hypothesized that the position of each cell in the high-dimensional gene expression space lies on a low-dimensional manifold, which can be modelled using a generative manifold framework. Ricci curvature-based features were extracted from cellular interaction networks at multiple scales, enabling effective classification of cell types (Feng et al., 2023).

Additionally, recent graph-based models developed for biomolecular networks, such as Wu et



al. (2023) and Shen et al. (2024), have incorporated Ricci curvature directly into message-transmission frameworks. These models have achieved state-of-the-art performance in predicting protein-ligand and protein-protein interactions by taking advantage of curvature-enhanced structural information.

Differential geometry in generative models

In the context of deep generative models, researchers have used tools from differential geometry to understand the geometry of the latent spaces learned by these models. Shao et al. (2017) conducted a foundational study on the Riemannian geometric properties of data manifolds generated by deep generative networks. They developed efficient algorithms for computing geodesic curves and parallel transport on the learned manifolds. Despite the fact that these manifolds are highly nonlinear, the study showed that their overall curvature is nearly zero (Shao et al., 2017).

This observation implies that linear interpolations in the latent space of generative models such as variational autoencoders (VAEs) and generative adversarial networks (GANs) approximately resemble true geodesic paths on the underlying data manifold. In other words, the latent space geometry learned by these models is approximately flat. This insight establishes an important foundation for understanding the high-dimensional, non-Euclidean spaces constructed by deep generative architectures and facilitates their further exploration using geometric methods.

Network analysis and community detection

In the field of network science, curvature-based methods have shown promising results for tasks such as community detection and other structural analyses. Sia et al. (2019) presented a new algorithm for community detection in complex networks based on Olivier-Ricci curvature. Their approach involves repeatedly removing edges with negative Ricci curvature, allowing specific communities to emerge naturally from the underlying structure. This curvature-driven technique outperformed or equalled traditional community detection algorithms in various synthetic and real-world networks and proved effective in revealing hierarchical community structures (Sia et al., 2019).

Based on these advancements, Park and Lee (2024) proposed a new discrete curvature metric called Lower Ricci Curvature (LRC), which is specifically designed to enhance the efficiency of community detection in large-scale graphs. LRC provides a closed-form curvature computation that is computationally much more efficient than traditional Olivier-Ricci curvature. When integrated during the preprocessing step, LRC improved the speed and accuracy of popular community detection algorithms on large-scale networks such as the NCAA football, DBLP, and Amazon co-purchase datasets (Park and Lee, 2024).

Beyond community detection, Farzam et al. (2024) explored the relationship between curvature in graph structures and the reliability of causal inference. They demonstrated theoretically that the Ricci curvature of a graph is associated with the difficulty of accurately estimating causal effects. Specifically, regions of the network exhibiting negative curvature were found to be more prone to errors in causal inference, while regions with positive curvature yielded more reliable estimates. To address this problem, they used a geometric Ricci flow technique that “flattens” the network geometry, thereby reducing inference errors (Farzam et al., 2024).

Curvature-based insights have also begun to emerge in the theoretical understanding of deep learning. Baptista et al. (2024) proposed that layer-wise geometric transformations within a trained deep neural network resemble Hamiltonian Ricci flow. Their extensive experiments showed that models that exhibit more robust global Ricci flow-like behaviour during training perform better in classification tasks. These findings suggest that differential geometric tools such as curvature can contribute to deeper interpretability and generalization in machine learning, potentially guiding the development of next-generation AI models that are both robust and theoretically grounded.



Discussion and synthesis

Curvature-based methods in graphs, images, and biological data

Differential geometric concepts of curvature have found various applications in graph learning, image analysis, and biological data interpretation. Graph-neural networks (GNNs) use discrete curvature metrics such as Olivier Ricci and Foreman curvature to measure the “shape” of graph connections. These measures enrich graph representations by reflecting the density or relaxation of nodes in local neighbourhoods. For example, edges with high positive curvature often represent well-connected nodes, while negative curvature reveals bridge-like connections connecting different parts of the graph. Incorporating such curvature information into GNN architectures (e.g., as additional edge weights or features) allowed models to capture structural patterns beyond standard messaging. Curvature methods in image processing take a more continuous form: images or shapes are treated as geometric surfaces, curvature-driven processes are used to enhance analysis. Curvature flows (like average curvature or Ricci flow) are applied to smoothed images or developed segmentation boundaries. This approach has improved tasks like edge detection and segmentation by maintaining consistent object boundaries. The geometric notion of curvature helps distinguish true contours from noise, as meaningful edges align with curvature vertices. Discrete curvature in that graph provides high-level features, such as pose estimation and shape recognition functions are displayed. In the field of biological data analysis, many problems can be represented as networks (e.g. protein interaction networks, neural connections, gene regulation networks). In brain connectivity maps, highly curved (positively curved) regions connected by subnetworks may be densely integrated functional communities, whereas negatively curved connections may indicate important inter-modular connections whose disruption may be a hallmark of disease. Similarly, curvature measurements in cellular and molecular networks have been used to identify strong paths or fragile points in network topology, informing our understanding of complex biological systems. A unifying theme in all these fields is that curvature provides a language to describe data geometry: Curvature-based methods reveal multi-scale connections and shape information.

Key Theoretical Contributions: Discrete Curvature, Ricci Flow, and Geometric Learning

The rise of curvature-based techniques in machine learning and vision is based on several key theoretical advances. Most prominent among these is the discrete curvature model: researchers have successfully extended the classical curvature definition from smooth manifolds to graphs and other discrete structures. For example, Olivier Ricci curvature graphs generalize Ricci curvature by optimal transport of node distributions. The theoretical path provides Foreman–Ritchie curvature provides an alternative valence formulation that simplifies edge weight and node fraction aggregate curvature calculations in a manner inspired by Riemannian geometry. The contribution is an explanation of graph processes through Ricci flows. In continuous geometry, the metric of a manifold is repeatedly adjusted in proportion to its curvature, often leading to a more uniform curvature distribution. A unifying explanation was provided in particular, it was shown that the tendency of GNNs to be irrationally homogeneous (over-levelling) is associated with regions of strong positive curvature, while failure to spread information over long distances (over-squashing) is curvature-aware. Measures (such as curvature-directed edge reloading) have been developed that theoretically reduce both problems simultaneously. Beyond these discrete analogies, learning geometric representations has become a broader theoretical issue. This involves incorporating data into curved spaces or incorporating geometric invariants into learning algorithms. Examples include neural network models operating in Riemannian manifold or constant curvature spaces (hyper curvilinear (or hyper spherical) spaces, which use curvature to better represent certain data structures (such as hierarchies or cycles). Theoretical work in this area has shown that curvature to act as an inductive bias. Can: for example, negative curvature (hyperbolic geometry) inherently represent tree-like hierarchies with low distortion, and some graphs benefit from being embedded in such spaces. Thus, using known curvature features in the architecture of models – for example, feeding edge curvature values to messaging functions. Judged to enrich capacity. In summary,



these contributions (differential curvature definition, graph Ritchie flow analogy, and curvature-informed representation learning) established a foundation where differential geometry concepts inform core machine learning theory to analyse and design algorithms with deeper understanding of shape, connectivity, and space in complex data

Practical Outcomes: Performance, Scalability, and Interpretability

The inclusion of curvature-based methods in practical applications has brought new ideas of significant performance improvement, improved interpretability, and scalability in terms of performance, many studies report that models augmented with curvature information outperform their traditional counterparts. By integrating curvature into the graph learning tasks, the GNN variants achieved greater accuracy and robustness. For example, by incorporating Olivier-Ritchie curvature into the message transmission process (reweighting graph streams or as additional feature channels) the network can adapt its aggregation according to local geometric context This has led to state-of-the-art results for models ranging from social network analysis to biochemical interaction prediction. A concrete result in the biochemical context is that curvature-enhanced GNN was able to predict protein-ligand binding affinity more accurately than standard GNN, because of its ability to capture geometric nuances of molecular traces (such as pocket rings) through curvature features in the domain of computer vision Curvature-regular methods improved output quality in tasks such as segmentation, shape reconstruction, etc. By adding curvature-dependent steps to loss functions or using curvature-flow algorithms, image-segmentation models produce more smooth and accurate object boundaries for medical imaging challenges Having higher overlap scores and visual accuracy These performance gains show that curvature is not just a theoretical nuance but a practical indicator of data structure that models can use to make better predictions

Scalability, however, is a consideration when deploying curvature-based methods. Calculating curvature can be computationally intensive: for example, Olivier-Ricchi curvature solves optimal transport problems between nodes, which can be a bottleneck for very large graphs in practice researchers use approximations when scaling to grids with millions of edges or more optimal curvature measures (e.g.). Algorithmic advances have also addressed this by switching to Foreman curvature, which is easier to compute), such as incremental or localized curvature calculations that only update curvature values in affected areas of the graph during training, not globally recalculate from scratch Solving partial differential equations in voxels is computationally heavy yet thanks to modern hardware (GPU acceleration) and optimized numerical methods these techniques have been efficient enough for practical use, at least in offline or high-precision tasks (e.g., refining 3D medical scan segmentation overnight). Providing high-level structural features can reduce overall complexity in the sense that reduces the need for very deep mesh or detailed feature engineering, when applied wisely, curvature can improve performance-complexity ratios, albeit at the expense of preprocessing steps or additional computational kernels

In terms of interpretability, curvature-based methods offer intuitive knowledge of the data and model behaviour. Like many learned features of deep networks, curvature has obvious meaning: it has been used in fields like neuroscience and biology to make sense of network data describing how space bends or how connections deviate from flat norms A natural explanation for community structure aligned with neural pathways that decline with age or disease can be achieved when curvature is included in model decisions and improved structural properties of data can be traced Region to be observed Couples with, thereby helping to validate that the model's improvements stem from reliable patterns rather than spurious correlations Moreover, analysing models through the lens of curvature can help diagnose problems: are) generate In summary, practical consequences of curvature-based approaches are multifaceted Assume manageable-computational strategies, and add a layer of interpretability, linking model behaviour to explicit geometric intuition

Current gaps and future opportunities

Although curvature-induced methods have shown considerable promise, there are still open



challenges and fertile avenues for future research. One major difference is in the fragmentation of curvature definitions and approaches. There is no unified understanding in the field on when to use a particular notion of curvature and how different curvature measures should complement each other e.g., Olivier-Ritchie and Foreman curvature each capture slightly different aspects of lattice geometry We were. Future work should aim to develop a generalized curvature framework that incorporates these definitions and can be tuned or learned from the data potentially generating a data-driven curvature measure optimized for predictive work. This includes proving convergence properties (under what conditions does curvature in a sequence of graphs approximate boundary space curvature?) and understanding how curvature restrictions affect the learning ability or generalization limits of models

Another limitation is computational efficiency and integration. As discussed, curvature calculations can be demanding. An open opportunity is to design algorithms that estimate curvature on the fly within the training loop, rather than as a separate preprocessing step. If curvature can be computed differently, one can also imagine neural networks that eventually learn to shape the geometry of data representations as part of internal training adjust connection or insert curvature reduction Advances in this direction will make curvature-based techniques more seamless within existing machine learning pipelines Scaling whole-social-media networks or high-resolution video data) will require clever approximations Sparse sampling of nodes for curves, multi-scale approaches that compute coarse-grained curves in dense renderings, or use distributed computing, these approximations with possible strategies Making sure they still retain the geometric cue is an important aspect of this challenge.

There are also domain-specific opportunities that remain relatively undiscovered. While curvature has been used in segmentation and bounding in computer vision, it can be further exploited in areas like 3D vision imaging e.g., depth models that generate or manipulate 3D shapes (point clouds, grids) can use curvature to maintain realistic surface properties It can help to respect physical practicality, where curvature of surfaces affects aesthetics and function Emerging structures like hypergraphs or time grids in graph learning raise the question of how to define and use curvature in those contexts (capturing higher order interaction geometry) or extend to dynamic grids occurs), but comprehensive methods have not yet been developed Curvature-based descriptors can be applied to new data methods in biological medicine fields Curvature indicates cellular developmental trajectory or disease progression Each of these areas presents unique structures where curvature can capture hidden organizing principles

Finally, an important future direction is to combine curvature with other geometric and topological tools for an even richer understanding of the data. Curvature is a descriptor of shape; Among other topological invariants (such as holes and connection captured by algebraic topology) or global geometric properties (such as diameter or symmetry) an exciting research frontier creates hybrid models that leverage curvature alongside topology to capture complementary aspects). Complementary aspects can take the invariants take (and vice versa) Also, finding learnable curves where a model can adjust what "curve" means in the context of performance optimization bridges the gap between manually generated geometric features and automatic feature learning

Conclusion

This study concludes that differential geometry and Vegeta-based machine learning have proven to be extremely effective in understanding and better capturing the individual nature of data in various fields such as computer vision, graph neural networks, image clusters, biological data analysis, generative tools, and network analysis. Modifying the Ricci, Forman, and Olivier-Ricci valences in the algorithm has improved the comparability, interpretability, and efficiency of models, as well as making it possible to understand complex classes in depth. This research shows that Vegeta serves as a general platform formula that registers various data domains and provides direction in the form of analysis. Along with this, the field also sets the standard for new directions in the future, such as the solid structure of Vegeta, its extension to hypergraphs, its role in time-dependent categories, development of stable AI consistency.



Overall, curvature-based approaches are not only theoretically rich, but they also add immense depth, clarity, and philosophy to modern data science.

References

- Baptista, A., Barp, A., Chakravarti, T., Harbron, C., McArthur, B. D., & Banerjee, C. R. S. (2024). Deep learning as Ricci flow. *Scientific Reports*, 14(1), 23383.
- Cascon, L., Distasi, R., & Nappi, M. (2022). Olivier-Ricci curvature for head pose estimation from a single image. *arXiv preprint arXiv:2204.13006*.
- Farzam, A., Tannenbaum, A., & Sapiro, G. (2024). From geometry to causality: Ricci curvature and the reliability of causal inference on networks. In *Proceedings of the 41st International Conference on Machine Learning (ICML)* (pp. 13086–13108). PMLR.
- Feng, H., Cottrell, S., Hozumi, Y., & Wei, G.-W. (2023). Multilevel differential geometry learning of networks with applications to single-cell RNA sequencing data. *arXiv preprint arXiv:2312.10261*.
- Li, H., Cao, J., Zhu, J., Liu, Y., Zhu, Q., & Wu, G. (2022). Curvilinear graph neural networks. *Informatics*, 592, 50–66.
- Louis, M., Charlier, B., & Dirlmann, S. (2018). Geodesic discriminant analysis for multiplicative-valued data. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops* (pp. 332–340).
- Nguyen, D. D., & Wei, G.-W. (2019). DG-GL: Differential geometry-based geometric learning of molecular datasets. *International Journal for Numerical Methods in Biomedical Engineering*, 35(3), p. 3179.
- Park, Y. J., & Lee, D. (2024). Low Ricci curvature for efficient community detection. *arXiv preprint arXiv:2401.10124*.
- Pei, H., Wei, B., Chang, K. C.-C., Zhang, C., & Yang, B. (2020). Curvature regulation to prevent distortion in graph embeddings. In *Advances in Neural Information Processing Systems*, 33 (pp. 18792–18803).
- Sockan, E., Appleboim, E., Wolanski, G., & Zeevi, Y. Y. (2009). Combinatorial Ricci curvature and Laplacian for image processing. In *Proceedings of the 2nd International Conference on Image and Signal Processing (CISP)* (vol. 2, pp. 992–997).
- Shao, H., Kumar, A., & Fletcher, P. T. (2017). Riemannian geometry of deep generative models. *arXiv preprint arXiv:1711.08014*.
- Shen, C., Ding, P., Wei, J., Bi, J., Luo, J., & Xia, K. (2024). Curvature-enhanced graph convolution networks for biomolecular interaction prediction. *Journal of Computational and Structural Biotechnology*, 23, 1016–1025.
- Sia, J., Jonckheere, E., & Bogdan, P. (2019). Olivier-Ricci curvature-based method for community detection in complex networks. *Scientific Reports*, 9(1), 9800.
- Wu, J., Chen, H., Cheng, M., and Xiong, H. (2023). CurveAGN: curvature-based adaptive graph neural networks for predicting protein-ligand binding affinity. *BMC Bioinformatics*, 24(1), 378.
- Wu, W., Hu, G., and Yu, F. (2021). Ricci curvature-based semi-supervised learning on an attributed network. *Entropy*, 23(3), 292.
- Yang, M., Zhou, M., Pan, L., and Qing, I. (2023). κHGCN: tree-likeness modelling via continuous and discrete curvature learning. In *Proceedings of the 29th ACM SIGKDD conference on Knowledge exploration and data mining* (pp. 2965-2977).